



Typical Chemical Characteristics

Product:

DCF “Fully Synthetic Double Clutch Fluid”

Description:

EN:

Fully synthetic fluid for Double Clutch transmission systems (**DSG** or **DCT**) of **BMW, VW, Audi, Skoda, SEAT, Lamborghini & Nissan**. It is special formulated by the best additive technology for excellent operation on all climatological climates.

EL:

Πλήρες συνθετικό υγρό για συστήματα μετάδοσης διπλού συμπλέκτη (**DSG** ή **DCT**) από **BMW, VW, Audi, Skoda, SEAT, Lamborghini & Nissan**. Είναι ειδικά σχεδιασμένο με την καλύτερη τεχνολογία προσθέτων για τέλεια λειτουργία σε όλες τις κλιματολογικές συνθήκες.

DE:

Vollsynthetische Flüssigkeit für Doppelkupplungssysteme (**DSG** oder **DCT**) bei **BMW, VW, Audi, Skoda, SEAT, Lamborghini & Nissan**. Spezielle Formel mit der besten Additivtechnologie für hervorragenden Betrieb unter allen Klimabedingungen.

RU:

Полностью синтетическая жидкость для трансмиссионных систем с двойным сцеплением (**DSG** или **DCT**) автомобилей **BMW, VW, Audi, Skoda, Seat, Lamborghini** и **Nissan**. Специальный состав с самыми технологичными присадками для превосходной работы в любых климатических условиях.

Disclaimer: The data given here is based on typical chemical characteristics of the current product and could change without any verbal or written notification. This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations.



Typical Chemical Characteristics

Characteristics:

Property	Method	Unit	Result
Specific Gravity 20°C	ASTM D 1298	kg/L	0,840
Viscosity at 100°C	ASTM D 445	cSt	7,0
Viscosity Index	-	-	>165
Pour Point	ASTM D 97	°C	<-40
Flash Point	ASTM D 92	°C	>210
Color	-	-	Crystal amber

Specifications:

FFL-2 & FFL-4
 VW TL 521 82,
 VW G 052 182 A2,
 VW G 052 182 A6,
 BMW 83 222 147 477,
 BMW 83 222 148 578,
 BMW 83 222 148 579,
 BMW 83 220 440 214,
 PSA 9734.S2, Ford M2C936A,
 MB-236.21,
 Mitsubishi Dia-Queen SSTF-1,
 Volvo 1161838, 1161839 &
 Porsche Oil No. 999.917.080.00

Disclaimer: The data given here is based on typical chemical characteristics of the current product and could change without any verbal or written notification. This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations.